Safety data sheet

According to Regulation (EC) No. 1907/2006 (REACH) Date of issue: 21.10.2013 Supersedes edition of: ---

1.1 Product id	entifier
Product name:	Lorol Duftöl Fantastic
1.2 Relevant ic Scented oil	lentified uses of the substance or mixture and uses advised against
1.3 Details of t	he supplier of the safety data sheet
Company:	Otto Oehme GmbH
	Industriestraße 20 D. 00584 Allemberg Deutechland
	D-90584 Allersberg Deutschland Tel. +49 9176 98050
	info@oehme-lorito.de
	แกงพูงอากาอางกเง.นอ
1.4 Emergency	<i>r</i> telephone number
	enter Nuremberg, Tel. + 49 911 398 2451
	azards identification ion of the substance or mixture
2.1 Classificat	ion of the substance or mixture R 52/53
2.1 Classificat 2.2 Label elem	ents
2.1 Classificat 2.2 Label elem Labelling (67/5-	ion of the substance or mixture R 52/53
2.1 Classificat 2.2 Label elem Labelling (67/5-	ents
2.1 Classificat 2.2 Label elem Labelling (67/54 Symbol:	ents
2.1 Classificat 2.2 Label elem Labelling (67/5- Symbol: R-phrases: 5	ents 48/EEC or 1999/45/EC)
2.1 Classificat 2.2 Label elem Labelling (67/5- Symbol: R-phrases: 5	ents 48/EEC or 1999/45/EC)
2.1 Classificat 2.2 Label elem Labelling (67/54 Symbol: - R-phrases: 5 Harmful to aquat S-phrases: -	ents 48/EEC or 1999/45/EC)
2.1 Classificat 2.2 Label elem <i>Labelling (67/5</i> - Symbol: - R-phrases: 5 Harmful to aquat S-phrases: - Contains Hexyl (an of the substance or mixture R 52/53 ents 48/EEC or 1999/45/EC)
2.1 Classificat 2.2 Label elem Labelling (67/5- Symbol: - R-phrases: E Harmful to aquat S-phrases: - Contains Hexyl C allergic reaction.	an of the substance or mixture R 52/53 ents 48/EEC or 1999/45/EC)
2.1 Classificat 2.2 Label elem Labelling (67/54 Symbol: - R-phrases: E Harmful to aquat S-phrases: - Contains Hexyl C allergic reaction. 2.3 Other haza Not known.	an of the substance or mixture R 52/53 ents 48/EEC or 1999/45/EC)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Product name:	Lorol Duftöl Fantastic
Revision date:	21.10.2013

Name accordır	ng to EC-Direc	ctives:		
CAS-No.	EC-No.	EC-Index-No.	Labelling according to EC-Directives	Content
2-(2-Butoxyeth	oxy)ethanol			
112-34-5	203-961-6	603-096-00-8	Xi R 36	<20 %
REACH Regist	tration Numbe	r: 01-211947510		
sotridecanol, e	ethoxylated			
69011-36-5	NLP 500-24	1-6	Xn R 22-41	<5%
REACH Regist	tration Numbe	r: 02-211955246		
Ethanol				
64-17-5	200-578-6	603-002-00-5	F R 11	<10 %
REACH Regist	tration Numbe	r: 01-211945761		
1-tert.Butyl-cyc		te (*)		
32210-23-4	250-954-9		N R 51/53	0.1 – <1 %
2-tert-Butylcycl	lohexylacetate	e (*)		
38-41-5	201-828-7		N R 51/53	0.1 – <1 %
Citronellol (*)				
106-22-9	203-375-0		Xi, N R 38-43-51/53	0.1 – <1 %
1-(2,6,6-Trime		xene -1-yl)-3-but	ene-2-on (*)	
3013-90-9	232-396-8		N R 51/53	0.1 – <1 %
Benzyl salicyla	te (*)			
118-58-1	204-262-9		Xi, N R 43-51/53	0.1 – <1 %
	imethyl-1-cycle	ohexene-1-yl)-3-l	butene-2-on (*)	
79-77-6	201-224-3		N R 51/53	0.1 – <1 %
Diphenyl ether				
101-84-8	202-981-2		N R 50/53	0.1 – <1 %
5-Heptyldihydr	o-2(3H)-furan	one (*)		
104-67-6	203-225-4		N R 51/53	0.1 – <1 %
Citronellylaceta	ate (*)			
150-84-5	205-775-0		Xi, N R 38-51/53	0.1 – <1 %

(*) A registration number is not aviable for this substance as the substance or its use is exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

Full text of R-Phrases: see under section 16.

Lorol Duftöl Fantastic 21.10.2013

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation: Fresh air. Call in physician if feeling unwell.

After skin contact: Wash off with plenty of water. Remove contaminated clothing. Consult a physician if skin irritations occure.

After eye contact: Rinse out with plenty of water with the eyelid held wide open. Call in ophthalmologist immediately.

After swallowing: Make victim drink plenty of water (two glasses at most), avoid vomiting. Call in physician.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, shortness of breath, dizziness, diarrhoea, nausea, CNS disorders. Respiratory paralysis, dermatitis, narcosis, inebriation, euphoria, nausea, vomitting. Drying-out effect resulting in rough and chapped skin.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide, foam, dry powder.

Unsuitable extinguishing media

For this substance / mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Contains combustible material. Vapours are heavier than air and may spraed along floors. Forms explosive mixtures with air at ambient temperatures. Pay attention to flashback. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters

Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

Further information

Prevent fire-fighting water from entering surface water or groundwater.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Caution: Risk of slipping.

Do not inhale vapours/aerosols. Avoid substance contact. Ensure supply of fresh air in enclosed rooms.

Lorol Duftöl Fantastic 21.10.2013

6.2 Environmental precautions

Do not allow to enter sewerage system.

6.3 Methods and material for containment and cleaning up

Take up with incombustible liquid-absorbent material. Forward for disposal. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Notes for safe handling Ensure adequate ventilation. Avoid contact with skin and eyes. Do not inhale vapours/aerosols. Avoid generation of vapours/aerosols.

Notes for prevention of fire and explosion Not required.

7.2 Conditions for safe storage, including any incompatibilities

Store cool above 5 °C. Keep away from sun and heat. Tightly closed in a well-ventilated place.

7.3 Specific end use(s)

Apart fron the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

2-(2-Butoxyethoxy)ethanol ECTLV Name 2-(2-Butoxyethoxy)ethanol Limit value 8 hours 10 ppm 67.5 mg/m^3 Short term (< 15 min.) 15 ppm 101.2 mg/m³ EH40 WEL 2-(2-Butoxyethoxy)ethanol Name Short term exposure limit (STEL) 15 ppm 101.2 mg/m^3 Time weighted average (TWA) 10 ppm 67.5 mg/m³ Ethanol EH40 WEL Name Ethanol

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Product name:	Lorol Duftöl Fantastic
Revision date:	21.10.2013

	Revision date:	21.10.2013
Time weighted average (TWA)	1000 ppm 1920 mg/m ³	
<i>Diphenyl ether</i> EH40 WEL Name Time weighted average (TWA)	Diphenyl eth 1 ppm 7.1 mg/m ³	er
8.2 Exposure controls	7.1 mg/m	
Individual protection measure Protective clothing should be see	elected specifically for e hazardous substan	the working place, depending on ces handled. The resistance of the protective respective supplier.
Eye / face protection: Tightly fitting safety goggles (Ef	N 166).	
Hand protection: Glove material: Nitrile rubber. Details on the penetration time	have to be asked by t	the manufacturer.
The protective gloves to be use and the resultant standard EN 3		ne specifications of EC directive 89/686/EEC
Respiratory protection: Required when vapours/aeroso	ls are generated. Filte	er A2 P2 (EN 14387).
<i>Hygiene measures</i> Change contaminated clothing. working with substance.	Apply skin- protective	e barrier cream. Wash hands and face after
SECTION 9: Physical and o	hemical propertie	s
9.1 Information on basic pl	nysical and chemi	cal properties
Form: Colour: Odour:	liquid light red perfumed	
pH value Melting point Boiling point Ignition temperature Flash point Explosion limits Density (20 °C) Solubility in water	7 not specified not specified not applicable >1.3 % (Ethan 15 % (Ethanol ~ 1.0 g/cm ³ miscible	iol)
9.2 Other information None.		

Lorol Duftöl Fantastic 21.10.2013

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Violent reactions possible with: Oxidizing agents, Aluminium. Risk of explosion with, risk of ignition or formation of inflammable gases or vapours with: Alkali metals, alkaline earth metals, alkali oxides, strong oxidizing agents, halogen-halogen compounds, chromyl chloride, ethylene oxide, fluorine, perchlorates, potassium permanganate, sulphuric acid, perchloric acid, permanganic acid, oxides of phosphorous, nitric acid, nitrogen

dioxide, hydrogen peroxide.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Aluminium, light metals. Corrosive substances, halogenes, bases, acids, reactive chemicals. Rubber, various plastics.

10.6 Hazardous decomposition products

See section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity LD₅₀ rat: 5660 mg/kg (RTECS; 2-(2-Butoxyethoxy)ethanol) Symptoms: Nausea, diarrhoea, shortness of breath. LD₅₀ rat: 500 - 2000 mg/kg (OECD 423; Isotridecanol, ethoxylated) LD₅₀ rat: 6200 mg/kg (IUCLID; Ethanol) Symptoms: Nausea, vomitting.

Acute dermal toxicity LD₅₀ rabbit: 4120 mg/kg (IUCLID; 2-(2-Butoxyethoxy)ethanol) LD₅₀ rat: 12800 mg/kg (external MSDS; Ethanol) Symptoms: Dermatitis, drying-out effect resulting in rough and chapped skin.

Acute inhalation toxicity Symptoms: Possible damages: Mucosal irritations (external MSDS; 2-(2-Butoxyethoxy)ethanol). LC₅₀ rat: 95.6 mg/l /4 h (RTECS; Ethanol) Symptoms: Slight mucosal irritations, absorption.

Skin irritation

Repeated or prolonged exposure may cause skin irritation and dermatitis, dus to degreasing properties of the product (external MSDS; 2-(2-Butoxyethoxy)ethanol). Rabbit: No irritation (OECD 404; Isotridecanol, ethoxylated).

external MSDS; Ethanol)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Product name: Revision date: Lorol Duftöl Fantastic 21.10.2013

Rabbit: No irritation (OECD 404; Ethanol). Eye irritation Rabbit: Eye irritation. Causes serious eye irritation (RTECS; 2-(2-Butoxyethoxy)ethanol). Rabbit: Eye irritation (OECD 405; Isotridecanol, ethoxylated). Rabbit: No eye irritation (OECD 405; Ethanol). Sensitisation Sensitisation test (Magnusson and Kligman): Negative (IUCLID; Ethanol). Genotoxicity in vitro Ames test: Salmonella typhimurium: Negative (National Toxicology Program; 2-(2-Butoxyethoxy)ethanol). Ames test: Salmonella typhimurium: Negative (National Toxicology Program; Ethanol). Specific target organ toxicity – single exposure The substance or mixture is not classified as specific target organ toxicant, single exposure. Specific target organ toxicity – repeated exposure The substance or mixture is not classified as specific target organ toxicant, repeated exposure. Aspiration hazard No aspiration toxicity classification. 11.2 Further information Chronic intoxication: Systemic effects: CNS disorders, dizziness. Damage to: Liver, kidney. Systemic effects: Euphoria. After absorption of large quantities: Dizziness, inebriation, narcosis, respiratory paralysis. Further hazardous properties cannot be excluded. The product should be handled with the care usual when dealing with chemicals. **SECTION 12: Ecological information** 12.1 Toxicity Toxicity to fish Leuciscus idus LC₅₀: 2750 mg/l /48 h (DIN 38412 (15); 2-(2-Butoxyethoxy)ethanol) Leuciscus idus LC₅₀: 1-10 mg/l /96 h (external MSDS; Isotridecanol, ethoxylated) Leuciscus idus LC₅₀: 8140 mg/l /48 h (IUCLID; Ethanol) Toxicity to daphnia an other aquatic invertebrates Daphnia magna: EC₅₀: >100 mg/l /48 h (OECD 202; 2-(2-Butoxyethoxy)ethanol) Aaquatic invertebrates: EC₅₀: 1-10 mg/l /48 h (external MSDS; Isotridecanol, ethoxylated) Daphnia magna: EC₅₀: 9268-14221 mg/l /48 h (IUCLID; Ethanol) Entosiphon sulcatum: EC₅: 65 mg/l /72 h (maximum permissible toxic concentration; external MSDS; Ethanol) Toxicity to algea EC₅₀: 1-10 mg/l /72 h (external MSDS; Isotridecanol, ethoxylated) Scenedesmus quadricauda: IC₅₀: 5000 mg/l / 7 d (maximum permissible toxic concentration;

Lorol Duftöl Fantastic 21.10.2013

Toxicity to bacteria

Activated sludge: EC_{10} : >10000 mg/l /17 h (DIN 38412 (8); Isotridecanol, ethoxylated) Pseudomonas putida EC_5 : 6500 mg/l /16 h (maximum permissible toxic concentration; IUCLID; Ethanol)

12.2 Persistence and degradability

Biodegradability

The surfactants contained in this preparation complies with the Biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the member states and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Biodegradation: 58 % /28 d (OECD 301 E; 2-(2-Butoxyethoxy)ethanol) Not readily biodegradable (2-(2-Butoxyethoxy)ethanol) Biodegradation: >60 % / 28 d (OECD 301B; Isotridecanol, ethoxylated) Readily biodegradable (Isotridecanol, ethoxylated) Biodegradation: 94 % (OECD 301E; Ethanol) Readily biodegradable (Ethanol)

Biochemical oxigen demand (BOD) 930-1670 mg/g /5 d (external MSDS; Ethanol)

Chemical oxigen demand (COD) 1990 mg/g (IUCLID; Ethanol)

Theoretical oxigen demand (ThOD) 2170 mg/g (IUCLID; 2-(2-Butoxyethoxy)ethanol) 2100 mg/g (external MSDS; Ethanol)

Ratio BOD / ThBOD BOD₅: 11 % (IUCLID; 2-(2-Butoxyethoxy)ethanol) BOD₅: 74 % (IUCLID; Ethanol)

Ratio COD / ThBOD 96 % (IUCLID; 2-(2-Butoxyethoxy)ethanol) 90 % (external MSDS; Ethanol)

12.3 Bioaccumulative potential

Partition coefficient: n-octanol / water: log P_{OW}: 0.56 (25 °C) (external MSDS; 2-(2-Butoxyethoxy)ethanol). No bioaccumulation is to be expected (2-(2-Butoxyethoxy)ethanol). No bioaccumulation is to be expected (external MSDS; Isotridecanol, ethoxylated). Partition coefficient: n-octanol / water: log P_{OW}: -0.31 (external MSDS; Ethanol). No bioaccumulation is to be expected (Ethanol).

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT / vPvB assessment not available as chemical safety assessment not required / not conducted.

Lorol Duftöl Fantastic 21.10.2013

12.6 Other adverse effects

Additional ecological information: COD: 2.1 g/g (external MSDS; Isotridecanol, ethoxylated).

Do not allow to enter waters, waste water, or soil!

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product:

Chemicals must be disposed of in compliance with the respective national regulations.

Code of the waste	Name according to directive 2000/532/EC:
070601*	aqueous washing liquids and mother liquors.

Packaging:

Product packaging must be disposed of in compliance with the country-specific regulations or must be to a packaging return system.

Code of the waste	Name according to directive 2000/532/EC:
200139	plastics.

SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

EU regulations

Ingredients according to Regulation (EC) on detergents No. 648/2004: Non-ionic surfactants: Less than 5 % Benzisothiazolinone, Methylisothiazolinone. Perfumes. Hexyl Cinnamal, Linalool, Geraniol, Citronellol, Benzyl Salicylate, Limonene, Alpha–Isomethyl Ionone.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16: Other information

Text of any R phrases referred to under section 2 and 3:

- 11 Highly flammable.
- 22 Harmful if swallowed.
- 36 Irritating to eyes.
- 38 Irritating to skin.
- 41 Risk of serious damage to eyes.
- 43 May cause sensitisation by skin contact.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Product name: Revision date:

Lorol Duftöl Fantastic 21.10.2013

50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
the product	ation contained herein is based on the present state of our knowledge. It characterizes t with regard to the appropriate safety precautions. It does not represent a guarantee of ies of the product.